







ATA - 32"

SPEED - 341

BRACE HEIGHT - 6"


WEIGHT - 4.25 LBS.

NEXUSE ATA - 36" SPEED - 331 BRACE HEIGHT - 6.5" WEIGHT - 4.55 LBS. DRAW LENGTHS - 23.5"-30.5" DRAW LENGTHS - 24.5"-31.5"



ATA - 39" SPEED - 325 BRACE HEIGHT - 7" WEIGHT - 4.7 LBS. DRAW WEIGHT - 40-80LBS





INLINE LAM SYSTEM

The **Inline Cam System™** is the first of its kind. The Inline's objective is the same as our parallel cam system. They are both designed to balance cam load evenly throughout the draw cycle. To do this without our parallel cam system, we had to bring both the strings and cables Inline. As the cam begins to rotate, the mod brings the cables underneath the string track, making it the first balanced single string track cam system. This system creates a more balanced cam, making this the most accurate compound bow ever made.

Where Accuracy is Everything





31" AXLE TO AXLE

332 FRS IBO RATING

7" BRACE HEIGHT

26"-30.5" DRAW LENGTH

4.3 LBS MASS WEIGHT

30-80 LBS DRAW WEIGHT



33" AXLE TO AXLE

337 FRS IBO RATING

6.5" BRACE HEIGHT

26"-30.5" DRAW LENGTH

4.4 LBS MASS WEIGHT

30-80 LBS DRAW WEIGHT



35" AXLE TO AXLE

343 FRS IBO RATING

6" BRACE HEIGHT

26"-30.5" DRAW LENGTH

4.5 LBS MASS WEIGHT

30-80 LBS DRAW WEIGHT

ACCURACY IS LETHAL